

FIG. 1

FIG. 1 is a perspective view of a garment 20, such as a pair of pants. The garment 20 includes a waistband 28 with elastic 38 and a crotch area 22 with a mesh patch 60. The mesh patch 60 is located in the crotch area 22 and is defined by a grid of lines 62. The mesh patch 60 is surrounded by a layer of material 64. The garment 20 also includes a side panel 30 and a side seam 32. The side panel 30 is defined by a line 39. The side seam 32 is defined by a line 46. The garment 20 also includes a waistband 28 with elastic 38 and a crotch area 22 with a mesh patch 60. The mesh patch 60 is located in the crotch area 22 and is defined by a grid of lines 62. The mesh patch 60 is surrounded by a layer of material 64. The garment 20 also includes a side panel 30 and a side seam 32. The side panel 30 is defined by a line 39. The side seam 32 is defined by a line 46. The garment 20 also includes a waistband 28 with elastic 38 and a crotch area 22 with a mesh patch 60. The mesh patch 60 is located in the crotch area 22 and is defined by a grid of lines 62. The mesh patch 60 is surrounded by a layer of material 64. The garment 20 also includes a side panel 30 and a side seam 32. The side panel 30 is defined by a line 39. The side seam 32 is defined by a line 46.

FIG. 2




FIG. 3